accoya 🛆 🖄

INSIGHTS

FEBRUARY 2023

RECORD ACCOYA PRODUCTION

Our latest trading update – January 23 reported Accsys ending 2022 with a record sales quarter. This was enabled through great progress in ramping up the new production equipment since September and demand from our loyal customer base. We thank the customers for their support on this. The opportunity will continue following the record set for Accoya production in December 2022

To support business growth, a dedicated warehouse has been built in partnership with Hoevers. This huge warehouse has been operational since October. With a 108 x 230m (350 x 750 feet) space (that's 3.5 x football pitches of wood) it houses most of the raw material and Accoya under one roof, giving us greater efficiencies, benefiting the supply chain and transportation of Accoya to market. The team there are establishing new processes and making improvements each month.



In June we will be commissioning our new chemical storage facility. This is a key step in bringing all four reactors to 100% capacity in the second half of 2023 and targeting new production records.

Thank you for your continued support

ACCOYA NEWS

ACCOYA USA CONSTRUCTION UPDATE

Work continues at pace at the Accoya USA site in Tennessee. The acetic anhydride feed tank arrived on site in Kingsport in early January, the biggest vessel to land on site to date. The reactors shipped from Europe in December. Due to their size and highway restrictions, they are currently on the slow boat (barge) to Tennessee, due for arrival and positioning at the plant this month.





ACCOYA COLOR SLIPPINESS TEST RESULTS ARE IN

Pendulum Test Value (PTV) determined Accoya Color Grey results exceed 36 (good).

Results demonstrate Accoya Color Grey is equal to, or in most cases is better than other decking materials. This data is being added to the Accoya Color training guide.

NB: All decks should be regularly cleaned to remove bio film and dirt build up which can cause slip properties to drop relative to tested samples.

	PTV – Four S (96) – HARD		PTV – TRL (55) - SOFT	
Product	DRY	WET	DRY	WET
Ассоуа	68	47	93	47
Accoya Color Grey	71	40	94	58
IPE	63	24	90	35
Wood Plastic Comp.	33	26	86	30
Pressure Treated	65	24	91	49

Based on minimum value 36				
Good	Moderate	Poor		

Note: Ceramic Tile Institute of America (CTIOA) & UK Slip Resistance Group (UKSRG) make a general recommendation that min. pendulum test value of 36 for level floors is considered as "low slip potential". Values of 25- 35 are classed as "moderate" and values of 0-24 have "high potential".



TRADE SHOWS AND SEMINARS

FUTUREBUILD

LONDON, UK 7TH – 9TH MARCH 2023

ZAK ENGINEERED TIMBER ENVELOPES

KEY NOTE PRESENTATION NEW YORK CITY 30TH MARCH 2023

futurebuild



NEW RECRUIT



January saw Darrin Andrews join the UK sales team. Darrin brings 30 years' experience working in in building products specification and will

be expanding our UK architectural education activity and responsible for sales in the Nordic countries. Welcome aboard Darrin.

MASS TIMBER CONF.

PORTLAND, OREGON 27[™] - 29[™] MARCH 2023

BAU MUNICH, GERMANY 17TH - 22ND APRIL 2023





APPROVED MANUFACTURERS PROGRAMME



The Accoya Manufacturer Programme and certification provides you you critical user training and marketing support to generate leads for your business.

If you are not part of our programme please reach out to our training team now.



5 YEARS ACCOYA TESTING - GUADELOUPE

As part of Certification from FCBA, France, the type of long term field trials Accoya is included in around the world and required for claims of Class 1 Durability were set up in the French territory of Guadeloupe in the Caribbean. Accoya stakes were tested alongside heartwood of sapele and Burmese teak. At the five year inspection period, rot and decay are extensive in the sapele. Decay is initiated in the Burmese teak and the Accoya stakes remain in perfect condition. Running this type of testing at multiple locations around the world takes resources and time but it's an investment Accsys makes as the only true approach to establishing Durability Class 1.

accoya 🛆

INSIGHTS

PROJECT SHOWCASE







Located: Barcelona, Spain Application: Accoya facade Distributor: Grupo Gamiz Installer: Strunor READ MORE

For more information please contact: sales@accsysplc.com

Accsys is a trading name of Titan Wood Limited. Accoya[®], Tricoya[®] and the Trimarque Device are registered trademarks owned by Titan Wood Limited and may not be used or reproduced without written permission. Accoya wood should always be installed and used in accordance with the written instructions and guidelines of Accsys Technologies and/or its agents (available upon request). Accsys Technologies accepts no liability for any defect, damage or loss that may occur where such written instructions and guidelines are not adhered to. UK, Nth. Europe, Middle East & Global Brettenham House 2-19 Lancaster Place London WC2E 7EN

+44 (0) 207 421 4300

Benelux, France & Sth. Europe Postbus 2147 6802 CC Arnhem The Netherlands

+31 (0) 26 320 1400

North America 5000 Quorum Drive #620 Dallas Texas 75254 USA

+1 972 233 6565

DACH

Accoya Büro Freiburg Cerdia Gebäude Engesserstrasse 8 79108 Freiburg Germany

+49 7615 113453

To find a supplier, visit www.accoya.com





Accsys Technologies 2023