



Tricoya® Panels

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS ID: AC00006

Issue date: 4/21/2023 Version: 1.0

SECTION 1: Identification»

1.1. Identification

Product form : Mixture
Trade name : Tricoya® Panels

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Furniture and cabinet making, doors and windows, flooring, shop frontage, toys and craft works (non exhaustive list)
Restrictions on use : No information available

1.3. Supplier

Tricoya Technologies Limited
Westervoortsedijk 73
Arnhem, 6827 AV - The Netherlands
T +31 263201400
receptie@accsysplc.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Not classified

2.2. GHS Label elements, including precautionary statements

GHS US labeling

No labeling applicable

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : Depending on the type of handling and use, airborne dust may be generated. Occupational exposure to dust should be monitored and controlled.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Contains: Mixed acetylated softwood, polymerised resin, paraffin wax, moisture.

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of HazCom 2012

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : No hazards which require special first aid measures.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact : Wash skin with plenty of water and soap.

Tricoya® Panels

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open.
Consult an ophthalmologist if irritation persists.

First-aid measures after ingestion : Rinse mouth with water.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Dust from this product may cause irritation to the respiratory tract.

Symptoms/effects after eye contact : Dust from this product may cause eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire: Water spray, Dry powder, Foam, Carbon dioxide.

Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

5.2. Specific hazards arising from the chemical

Fire hazard : Combustible materials.

Hazardous decomposition products in case of fire : Under fire conditions, hazardous fumes will be present: Carbon dioxide, Carbon monoxide, Nitrogen oxides.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Not applicable for the product in its solid sheet form. Ensure adequate ventilation when sheets are being machined.

6.1.1. For non-emergency personnel

Protective equipment : Not applicable for the product in its solid sheet form. Ensure personal protective equipment when sheets are being machined.

Measures in case of dust release : No flames, no sparks. Eliminate all sources of ignition. All equipment used when handling the product must be grounded. Do not breathe dust.

6.1.2. For emergency responders

Protective equipment : For further information refer to section 8: "Exposure controls/personal protection". Do not attempt to take action without suitable protective equipment.

6.2. Environmental precautions

Not applicable for the product in its solid sheet form. Wood dust: Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : The machining of this solid sheet form will generate wood dust particles, i.e. sawing, sanding, etc. This wood dust should be collected through a combination of vacuum and extraction cleaning equipment. The waste material should be recovered or disposed of in a safe manner.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: Disposal considerations".

Tricoya® Panels

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : In solid sheet form the product may present a manual handling risk due to the physical dimensions and weight of the panel. Sound lifting practices and procedures, including the use of mechanical lifting equipment, should be adhered to at all times. The safe handling risk assessment should give full consideration to the wearing of safety footwear, gloves, helmet, face mask, etc.
- Precautions for safe handling : Handle in accordance with good industrial hygiene and safety practice. Ensure good ventilation of the work station. Avoid prolonged and repeated contact with skin. All equipment used when handling the product must be grounded. Drilling, sawing, sanding or machining wood products generates wood dust. Avoid dust formation. Fine dust dispersed in air may ignite.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in accordance with local, regional, national or international regulation. Store in a well-ventilated place.
- Incompatible materials : Strong acids. Strong bases. Strong oxidizing agents.
- Heat-ignition : Keep away from open flames, hot surfaces and sources of ignition.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Tricoya® Panels
No additional information available

Exposure limit values of other components

Softwood	
USA - ACGIH - Occupational Exposure Limits	
Local name	Wood dusts All other species
ACGIH TWA (mg/m ³)	1 mg/m ³ (I - Inhalable particulate matter)
Remark (ACGIH)	TLV® Basis: Pulm func; URT & LRT irr. Notations: Oak and beech = A1 (Confirmed Human Carcinogen); Birch, mahogany, teak, walnut = A2 (Suspected Human Carcinogen); All other wood dusts = A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2021

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:
Wear protective gloves

Tricoya® Panels

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Type	Material	Permeation	Thickness (mm)	Penetration
Protective gloves	Leather	6 (> 480 minutes)		
Eye protection:				
Wear eye protection				
Type	Use		Characteristics	
Tightly fitting safety goggles	Dust			
Skin and body protection:				
Wear suitable protective clothing				
Type				
Long sleeved protective clothing				
Respiratory protection:				
Ensure there is adequate ventilation. No respiratory protection needed under normal use conditions. Drilling, sawing, sanding or machining wood products generates wood dust. In case of insufficient ventilation, wear suitable respiratory equipment				
Device	Filter type		Condition	
Dust mask	Type FFP2		Dust	

Personal protective equipment symbol(s):



Other information:

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke during use. Always wash hands after handling the product. Take off contaminated clothing and wash before reuse.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Panel
Color	: Brown-light brown
Odor	: Slight vinegar odor
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable

Tricoya® Panels

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: > 700 kg/m ³
Solubility	: Water: Insoluble
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

Additional information : Layer ignition temperature : 320 °C Tricoya Panel sander dust, 5 mm layer

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, sparks and flames.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under fire conditions, hazardous fumes will be present: Carbon dioxide, Carbon monoxide, Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified. Dust from this product may cause eye irritation
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Softwood dust. Suspected of causing cancer

Tricoya® Panels	
IARC group	1 - Carcinogenic to humans

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified. Dust from this product may cause respiratory irritation

Tricoya® Panels

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: Not applicable
Likely routes of exposure	: Dermal. Inhalation.
Symptoms/effects after inhalation	: Dust from this product may cause irritation to the respiratory tract.
Symptoms/effects after eye contact	: Dust from this product may cause eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information : This product is not hazardous in the form in which it is shipped by the manufacturer. The generation of waste should be avoided or minimized wherever possible.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
Not regulated for transport			
14.2. Proper Shipping Name			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable

Tricoya® Panels

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT	TDG	IMDG	IATA
No supplementary information available			

14.6. Special precautions for user

DOT

No data available

TDG

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

No additional information available

15.3. US State regulations

Tricoya® Panels	
U.S. - California - Proposition 65 - Carcinogens List	Yes
U.S. - California - Proposition 65 - Developmental Toxicity	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Female	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No
U.S. - California - Proposition 65 - Other information	Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the State of California to cause cancer. Exposure to wood dust in significant amounts on a recurring basis can cause cancers of the nose, throat, and sinuses. Proposition 65 requires businesses to determine if they must provide a warning about exposure to listed chemicals. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection. For more information go to www.P65Warnings.ca.gov .

Tricoya® Panels

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Training advice : Ensure staff are informed of and trained on the nature of exposure and basic actions to minimise exposure.

Abbreviations and acronyms	
CAS	Chemical Abstract Service number
DOT	Department of Transport
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
TRGS	Technical Rules for Hazardous Substances
TDG	Transportation of Dangerous Goods
ACGIH	American Conference of Government Industrial Hygienists
Indication of changes:	
Not applicable.	

SDS US (GHS HazCom 2012) - RHDHV

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.